



# ECOAUTOLED



Address: No.435, DaLang South Rd. Longhua New District.  
Shenzhen, Guangdong, China, 518109




Website: [www.ecoautoled.com](http://www.ecoautoled.com) Email: [sales@ecoautoled.com](mailto:sales@ecoautoled.com)

Contact: Jack Huang Tel: +86 18129821033 Skype: [huangjie2013](https://www.skype.com/people/huangjie2013)




## 5050 Series LED Strip light

Picture	Product Name	Model No.	Color	Size (mm)	CCT(NM)	Lumens	Power (/m)				
								Non (IP33)	Glue (IP65)	Casing (IP67)	Casing and Glue (IP68)
	5050 Series 30led/M	AT-5050R-30-100	R	10*1000*2	620-625nm	800-1000MCD	7.2W				
		AT-5050Y-30-100	Y	10*1000*2	585-590nm	800-1000MCD	7.2W				
		AT-5050B-30-100	B	10*1000*2	460-465nm	800-1000MCD	7.2W				
		AT-5050G-30-100	G	10*1000*2	505-510nm	2000-2500MCD	7.2W				
		AT-5050W-30-100	W	10*1000*2	6000-6500K	16-18LM	7.2W				
		AT-5050WW-30-100	WW	10*1000*2	2800-3000K	16-18LM	7.2W				
		AT-5050RGB-30-100	RGB	10*1000*2	620-470nm	1000-1200MCD	7.2W				
		AT-5050PP-30-100	Purple	10*1000*2	455-460nm	800-1000MCD	7.2W				
		AT-5050P-30-100	P	10*1000*2	455-460nm	800-1000MCD	7.2W				
	5050 Series 60led/M	AT-5050R-60-100	R	10*1000*2	620-625nm	800-1000MCD	14.4W				
		AT-5050Y-60-100	Y	10*1000*2	585-590nm	800-1000MCD	14.4W				
		AT-5050B-60-100	B	10*1000*2	460-465nm	800-1000MCD	14.4W				
		AT-5050G-60-100	G	10*1000*2	505-510nm	2000-2500MCD	14.4W				
		AT-5050W-60-100	W	10*1000*2	6000-6500K	16-18LM	14.4W				
		AT-5050WW-60-100	WW	10*1000*2	2800-3000K	16-18LM	14.4W				
		AT-5050RGB-60-100	RGB	10*1000*2	620-470nm	1000-1200MCD	14.4W				
		AT-5050PP-60-100	Purple	10*1000*2	455-460nm	800-1000MCD	14.4W				
		AT-5050P-60-100	P	10*1000*2	455-460nm	800-1000MCD	14.4W				
	5050 Series 120led/M Double Row	AT-5050R-120-100	R	14*1000*2	620-625nm	800-1000MCD	28.8W				
		AT-5050Y-120-100	Y	14*1000*2	585-590nm	800-1000MCD	28.8W				
		AT-5050B-120-100	B	14*1000*2	460-465nm	800-1000MCD	28.8W				
		AT-5050G-120-100	G	14*1000*2	505-510nm	2000-2500MCD	28.8W				
		AT-5050W-120-100	W	14*1000*2	6000-6500K	16-18LM	28.8W				
		AT-5050WW-120-100	WW	14*1000*2	2800-3000K	16-18LM	28.8W				
		AT-5050RGB-120-100	RGB	14*1000*2	620-470nm	1000-1200MCD	28.8W				
		AT-5050PP-120-100	Purple	14*1000*2	455-460nm	800-1000MCD	28.8W				
		AT-5050P-120-100	P	14*1000*2	455-460nm	800-1000MCD	28.8W				





## 2835 Series LED Strip light

Picture	Product Name	Model No.	Color	Size (mm)	CCT(NM)	Lumens	Power (/m)				
								Non (IP33)	Glue (IP65)	Casing (IP67)	Casing and Glue (IP68)
	2835 Series 60led/M	AT-2835R-60-100	R	8*1000*2	620-625nm	800-1000MCD	8.4W				
		AT-2835Y-60-100	Y	8*1000*2	585-590nm	600-800MCD	8.4W				
		AT-2835B-60-100	B	8*1000*2	465-470nm	800-1000MCD	8.4W				
		AT-2835G-60-100	G	8*1000*2	505-510nm	1100-1300MCD	8.4W				
		AT-2835W-60-100	W	8*1000*2	6000-6500K	14-16LM	8.4W				
		AT-2835WW-60-100	WW	8*1000*2	2800-3000K	14-16LM	8.4W				
		AT-2835RGB-60-100	RGB	8*1000*2	620-470nm	800-1000MCD	8.4W				
	2835 Series 120led/M Single row	AT-2835R-120-100	R	8*1000*2	620-625nm	800-1000MCD	16.8W				
		AT-2835Y-120-100	Y	8*1000*2	585-590nm	600-800MCD	16.8W				
		AT-2835B-120-100	B	8*1000*2	465-470nm	800-1000MCD	16.8W				
		AT-2835G-120-100	G	8*1000*2	505-510nm	1100-1300MCD	16.8W				
		AT-2835W-120-100	W	8*1000*2	6000-6500K	14-16LM	16.8W				
		AT-2835WW-120-100	WW	8*1000*2	2800-3000K	14-16LM	16.8W				
	2835 Series 240led/M Single row	AT-2835R-240-100	R	10*1000*2	620-625nm	800-1000MCD	33.6W				
		AT-2835Y-240-100	Y	10*1000*2	585-590nm	600-800MCD	33.6W				
		AT-2835B-240-100	B	10*1000*2	465-470nm	800-1000MCD	33.6W				
		AT-2835G-240-100	G	10*1000*2	505-510nm	1100-1300MCD	33.6W				
		AT-2835W-240-100	W	10*1000*2	6000-6500K	14-16LM	33.6W				
		AT-2835WW-240-100	WW	10*1000*2	2800-3000K	14-16LM	33.6W				

## 3528 Series LED Strip light

Picture	Product Name	Model No.	Color	Size (mm)	CCT(NM)	Lumens	Power (/m)				
								Non (IP33)	Glue (IP65)	Casing (IP67)	Casing and Glue (IP68)
	3528 Series 60led/M	AT-3528R-60-100	R	8*1000*2	620-625nm	400-600MCD	4.8W				
		AT-3528Y-60-100	Y	8*1000*2	585-590nm	200-300MCD	4.8W				
		AT-3528B-60-100	B	8*1000*2	465-470nm	400-600MCD	4.8W				
		AT-3528G-60-100	G	8*1000*2	505-510nm	700-800MCD	4.8W				
		AT-3528W-60-100	W	8*1000*2	6000-6500K	5-7LM	4.8W				
		AT-3528WW-60-100	WW	8*1000*2	2800-3000K	5-7LM	4.8W				
		AT-3528RGB-60-100	RGB	8*1000*2	620-470nm	500-700MCD	4.8W				
		AT-3528PP-60-100	Purple	8*1000*2	450-455nm	500-600MCD	4.8W				
		AT-3528P-60-100	P	8*1000*2	455-460nm	400-500MCD	4.8W				
	3528 Series 120led/M Single row	AT-3528R-120-100	R	8*1000*2	620-625nm	400-600MCD	9.6W				
		AT-3528Y-120-100	Y	8*1000*2	585-590nm	200-300MCD	9.6W				
		AT-3528B-120-100	B	8*1000*2	465-470nm	400-600MCD	9.6W				
		AT-3528G-120-100	G	8*1000*2	505-510nm	700-800MCD	9.6W				
		AT-3528W-120-100	W	8*1000*2	6000-6500K	5-7LM	9.6W				
		AT-3528WW-120-100	WW	8*1000*2	2800-3000K	5-7LM	9.6W				
		AT-3528PP-120-100	Purple	8*1000*2	450-455nm	500-600MCD	9.6W				
		AT-3528P-120-100	P	8*1000*2	455-460nm	400-500MCD	9.6W				
	3528 Series 240led/M Double row	AT-3528R-240-100	R	14*1000*2	620-625nm	400-600MCD	19.2W				
		AT-3528Y-240-100	Y	14*1000*2	585-590nm	200-300MCD	19.2W				
		AT-3528B-240-100	B	14*1000*2	465-470nm	400-600MCD	19.2W				
		AT-3528G-240-100	G	14*1000*2	505-510nm	700-800MCD	19.2W				
		AT-3528W-240-100	W	14*1000*2	6000-6500K	5-7LM	19.2W				
		AT-3528WW-240-100	WW	14*1000*2	2800-3000K	5-7LM	19.2W				
		AT-3528PP-240-100	Purple	14*1000*2	450-455nm	500-600MCD	19.2W				
		AT-3528P-240-100	P	14*1000*2	455-460nm	400-500MCD	19.2W				

## LED Strip light for cars

	Product Name	Model No.	Color	Size (mm)	CCT(NM)	Lumens	Power	
 <p>5050 30CM 12灯</p>	5050 Series 12leds/30cm	AT-5050R-12-30	R	10*300*2	620-625nm	800-1000MCD	2.88W	1.IP65 2.30CM 12pcs or different wire & JST is customized 3.Black PCB board 4.Price \$0.2 for single color cable and \$0.5 for RGB color cable
		AT-5050Y-12-30	Y	10*300*2	585-590nm	800-1000MCD	2.88W	
		AT-5050B-12-30	B	10*300*2	460-465nm	800-1000MCD	2.88W	
		AT-5050G-12-30	G	10*300*2	505-510nm	2000-2500MCD	2.88W	
		AT-5050W-12-30	W	10*300*2	6000-6500K	16-18LM	2.88W	
		AT-5050WW-12-30	WW	10*300*2	2800-3000K	16-18LM	2.88W	
		AT-5050RGB-12-30	RGB	10*300*2	620-470nm	1000-1200MCD	2.88W	
		AT-5050PP-12-30	Purple	10*300*2	455-460nm	800-1000MCD	2.88W	
AT-5050P-12-30	P	10*300*2	455-460nm	800-1000MCD	2.88W			
 <p>5050 30CM 15灯</p>	5050 Series 15leds/28cm	AT-5050R-15-28	R	10*280*2	620-625nm	800-1000MCD	3.6W	1.IP65 2.28CM 15pcs or different wire & JST is customized 3.Black PCB board 4.Price \$0.2 for single color cable and \$0.5 for RGB color cable
		AT-5050Y-15-28	Y	10*280*2	585-590nm	800-1000MCD	3.6W	
		AT-5050B-15-28	B	10*280*2	460-465nm	800-1000MCD	3.6W	
		AT-5050G-15-28	G	10*280*2	505-510nm	2000-2500MCD	3.6W	
		AT-5050W-15-28	W	10*280*2	6000-6500K	16-18LM	3.6W	
		AT-5050WW-15-28	WW	10*280*2	2800-3000K	16-18LM	3.6W	
		AT-5050PP-15-28	Purple	10*280*2	455-460nm	800-1000MCD	3.6W	
		AT-5050P-15-28	P	10*280*2	455-460nm	800-1000MCD	3.6W	
 <p>5050 30CM 18灯</p>	5050 Series 18leds/30cm	AT-5050R-18-30	R	10*300*2	620-625nm	800-1000MCD	4.32W	1.IP65 2.30CM 18pcs or different size & wire & JST is customized 3.Black PCB board 4.Price \$0.2 for single color cable and \$0.5 for RGB color cable
		AT-5050Y-18-30	Y	10*300*2	585-590nm	800-1000MCD	4.32W	
		AT-5050B-18-30	B	10*300*2	460-465nm	800-1000MCD	4.32W	
		AT-5050G-18-30	G	10*300*2	505-510nm	2000-2500MCD	4.32W	
		AT-5050W-18-30	W	10*300*2	6000-6500K	16-18LM	4.32W	
		AT-5050WW-18-30	WW	10*300*2	2800-3000K	16-18LM	4.32W	
		AT-5050RGB-18-30	RGB	10*300*2	620-470nm	1000-1200MCD	4.32W	
		AT-5050PP-18-30	Purple	10*300*2	455-460nm	800-1000MCD	4.32W	
AT-5050P-18-30	P	10*300*2	455-460nm	800-1000MCD	4.32W			
	5050 Series 30leds/30cm DC12V only	AT-5050R-30-30	R	10*300*2	620-625nm	800-1000MCD	6.48W	1.IP65 2.30CM 30pcs or different wire & JST is customized 3.Black PCB board 4.Price \$0.2 for single color cable and \$0.5 for RGB color cable
		AT-5050Y-30-30	Y	10*300*2	585-590nm	800-1000MCD	6.48W	
		AT-5050B-30-30	B	10*300*2	460-465nm	800-1000MCD	6.48W	
		AT-5050G-30-30	G	10*300*2	505-510nm	2000-2500MCD	6.48W	
		AT-5050W-30-30	W	10*300*2	6000-6500K	16-18LM	6.48W	
		AT-5050WW-30-30	WW	10*300*2	2800-3000K	16-18LM	6.48W	
		AT-5050PP-30-30	Purple	10*300*2	455-460nm	800-1000MCD	6.48W	
		AT-5050P-30-30	P	10*300*2	455-460nm	800-1000MCD	6.48W	



Product Name	Model No.	Color	Size (mm)	CCT(NM)	Lumens	Power	
<b>3528 Series 72leds/30cm Double row</b>	AT-3528R-72-30	R	14*300*2	620-625nm	400-600MCD	5.76W	
	AT-3528Y-72-30	Y	14*300*2	585-590nm	200-300MCD	5.76W	
	AT-3528B-72-30	B	14*300*2	465-470nm	400-600MCD	5.76W	
	AT-3528G-72-30	G	14*300*2	505-510nm	700-800MCD	5.76W	
	AT-3528W-72-30	W	14*300*2	6000-6500K	5-7LM	5.76W	
	AT-3528WW-72-30	WW	14*300*2	2800-3000K	5-7LM	5.76W	

1.IP65  
2.30CM 72pcs or different size & wire & JST is customized  
3.Black PCB board  
4.Price \$0.2 for single color cable



<b>3528 Knight LED strip 32leds/30cm DC12 only</b>	AT-3528R-32-30	R	8*300*2	620-625nm	400-600MCD	2.56W	
	AT-3528Y-32-30	Y	8*300*2	585-590nm	200-300MCD	2.56W	
	AT-3528B-32-30	B	8*300*2	465-470nm	400-600MCD	2.56W	
	AT-3528G-32-30	G	8*300*2	505-510nm	700-800MCD	2.56W	
	AT-3528W-32-30	W	8*300*2	6000-6500K	5-7LM	2.56W	
	AT-3528WW-32-30	WW	8*300*2	2800-3000K	5-7LM	2.56W	
	AT-3528RGB-32-30	RGB	8*300*2	620-470nm	500-700MCD	2.56W	

1.IP65  
2.30CM 32pcs  
3.Black PCB board



<b>4014 slim LED strip 5mm width 198led/M DC12-16V only</b>	AT-4014W-198-100	W	5*1000*2	6000-6500K	8-10LM	14.4W	
	AT-4014WW-198-100	WW	5*1000*2	2800-3000K	8-10LM	14.4W	
	AT-4014R-198-100	R	5*1000*2	620-625nm	500-700MCD	14.4W	
	AT-4014Y-198-100	Y	5*1000*2	585-590nm	300-400MCD	14.4W	
	AT-4014W+WW-198-100	W+WW	5*1000*2	2800-3000K/ 6000-6500K	8-10LM	14.4W	
	AT-4014R+Y-198-100	R+Y	5*1000*2	R:620-625nm/ Y:585-590nm	500-700MCD/ 300-400MCD	14.4W	


1.IP65  
2.100CM 198pcs or different size & wire & JST is customized  
3.Black PCB board


## Addressable Dream Color LED Strip light




Product Name	Model No.	Color	Size (mm)	CCT(NM)	Lumens	Power (/m)	Non (IP33)	Glue (IP65)	Casing (IP67)				
<b>CS8205</b> 30led/M 12V 5050RGB	AT-5050RGB-30-100-8205	RGB	1000*10*0.25	R:620-625nm G:515-520nm B:465-470nm	1500-2000MCD	7.2W				Non (IP33)	Glue (IP65)	Casing (IP67)	Changing Self
<b>WS2811</b> 30led/M 12V 5050RGB	AT-5050RGB-30-100-2811	RGB	1000*10*0.25	R:620-625nm G:515-520nm B:465-470nm	1500-2000MCD	7.2W							
<b>WS2811</b> 60led/M 12V 5050RGB	AT-5050RGB-60-100-2811	RGB	1000*10*0.25	R:620-625nm G:515-520nm B:465-470nm	1500-2000MCD	14.4W							
<b>WS2812B</b> 30led/M 5V 5050RGB	AT-5050RGB-30-100-2812B	RGB	1000*10*0.25	R:620-625nm G:515-520nm B:465-470nm	2000-2500MCD	9W							144leds available
<b>WS2812B</b> 60led/M 5V 5050RGB	AT-5050RGB-60-100-2812B	RGB	1000*10*0.25	R:620-625nm G:515-520nm B:465-470nm	2000-2500MCD	18W							
<b>SK6812</b> 30led/M 5V 5050RGBW	AT-5050RGBW-30-100-6812	RGBW	1000*10*0.25	R:620-625nm G:515-520nm B:465-470nm Warm white 3000K	2000-2500MCD 12-14lm	7.5W							72/96/144 leds available
<b>SK6812</b> 60led/M 5V 5050RGBW	AT-5050RGBW-60-100-6812	RGBW	1000*10*0.25	White 6500K		15W							



# Multifunctional LED Strip light

	Product Name	Model No.	Color	Size (mm)	CCT(NM)	Lumens	Power (/m)			
								Non (IP33)	Glue (IP65)	Casing (IP67)
 <p><b>RGB+W 5050 led strip</b></p>		AT-5050RGB+W-60-100-12V	RGB+W	12*1000*2	R:620-625nm G:515-520nm B:465-470nm W:6000~6500K	1500-2000MCD W:18-20lm	14.4W	Non (IP33)	Glue (IP65)	Casing (IP67)
		AT-5050RGB+WW-60-100-12V	RGB+WW	12*1000*2	R:620-625nm G:515-520nm B:465-470nm WW:2800~3000K	1500-2000MCD WW:18-20lm	14.4W			

	Product Name	Model No.	Color	size (mm)	CCT(NM)	Lumens	Power (/m)			
								Non (IP33)	Glue (IP65)	Casing (IP67)
 <p><b>RGBW 4in1 5050 led strip</b></p>		AT-5050RGBW-30-100-12V	RGBW 4in1	12*1000*2	R:620-625nm G:515-520nm B:465-470nm W:6000~6500K	W/WW:12-14lm R:600~800	19.2W	Non (IP33)	Glue (IP65)	Casing (IP67)
		AT-5050RGBWW-60-100-12V	RGBWW 4in1	12*1000*2	R:620-625nm G:515-520nm B:465-470nm WW:2800~3000K	G:1000~1200 B:400~600	19.2W			

	Product Name	Model No.	Color	Size (mm)	CCT(NM)	Lumens	Power (/m)			
								Non (IP33)	Glue (IP65)	Casing (IP67)
 <p><b>Adjustable Color Temperature</b></p>		AT-5050CW+W-30-100-12V	WW+W	10*1000*2	WW:2800~3000K W:6000~6500K	W:14-16lm WW:14-16lm	7.2W	Non (IP33)	Glue (IP65)	Casing (IP67)
		AT-5050CW+W-60-100-12V	WW+W	10*1000*2	WW:2800~3000K W:6000~6500K		14.4W			

## LED Rigid Bar Strip light

	Product Name	Model No.	Color	Size (mm)	CCT(NM)	Lumens	Power				
								Non (IP33)	Glue (IP65)		
	5050 LED Rigid bar Strip light	AT-R5050W-30-100	W/WW/C W/R/G/B	20*1000*10	2700-12000K/ R:620-625nm G:505-510nm B:465-470nm	16-18lm 1200-2000MCD	7.2W	Non (IP33)	Glue (IP65)		
		AT-R5050W-48-100		20*1000*10			11.52W				
		AT-R5050W-60-100		20*1000*10			14.4W				
		AT-R5050W-72-100		20*1000*10			17.28W				
	5630 LED Rigid bar Strip light	AT-R5630W-30-50	W/WW/C W	20*500*10	2700-12000K	20-22lm	9W	Non (IP33)	Glue (IP65)		
		AT-R5630W-48-100		20*1000*10			14.4W				
		AT-R5630W-60-100		20*1000*10			18W				
		AT-R5630W-72-100		20*1000*10			21.6W				



**Remarks:**

1. Three years warranty all in double PCB and high brightness leds. CE RoHS approved, Voltage is DC5V/12V/24V, 30cm strip in box packing and electrostatic bag for each piece (5m on reel for 5050& 2835& 3528 Series).
2. Payment term: 30% of total amount paid by T/T, 70% of total amount paid by T/T before shipment. (or paypal and Western Union)
3. **MOQ ≥ 20 roll or 100 pcs.**
4. Buyer need to pay the shipping cost and bank charges
5. The delivery time will be 1-3 days after receiving formal order and deposit.
6. Quality Terms: Manufacturer inspection standard.
7. The offer is subject to both parties' final confirmation.
8. **AT-5050R-30-100** is 5050 red color 30 leds per 100cm.

**IP Rating**

### Waterproof Rating Description

Bare board lights with waterproof rating of IP30, Epoxy lamp with waterproof rating of IP65, tube lights with waterproof rating of IP67 waterproof rating Glue tube lights with waterproof rating of IP68

			
Waterproof Rating IP20/30	Waterproof Rating IP65	Waterproof Rating IP67	Waterproof Rating IP68
60LEDS IP33 SERIES [ SUPER BRIGHT SHINE ]	60LEDS IP65 SERIES [ SURFACE WATER AND DUST ]	60LEDS IP67 SERIES [ RAIN AND WATERPROOF ]	60LEDS IP68 SERIES [ AQUARIUM DECORATION ]